The Celestia Theme

v1.0.3

Razik Ikhlef

① Language

LANGUAGE Sets the document language (english by default), which is passed to the babel package loaded by the theme.

```
\usetheme[
    language=french,
]{Celestia}
```

② Fonts

MAINFACE Main font for text and titles (Literata by default)

MAINFACEOPTIONS Options directly passed to fontspec for the main font

SANSFACE Sans-serif font for structural elements (Inter by default)

SANSFACEOPTIONS Options passed to fontspec for the sans-serif font

MONOFACE Monospace font for code (Roboto Mono by default)

MONOFACEOPTIONS Options passed to fontspec for the monospace font

ALLSERIF Uses the main serif font for mathematics

```
\usetheme[
    mainface=EB Garamond,
    mainfaceoptions={Scale=1.1},
    sansface=Montserrat,
    monoface=Fira Code,
    allserif
]{Celestia}
```

③ Colors

MAINCOLOR Main color used for titles and accents (LaTeX svgname or HTML hexadecimal code)

ACCENTCOLOR Secondary color for special elements

BACKGROUNDCOLOR Slide background color (F7F9FC by default)

CODEBACKGROUNDCOLOR Code block background color (F1F3F6 by default)

MAINBLUE Standard block color (045549 by default)

MAINGREEN Example block color (054924 by default)

MAINRED Alert block color (490445 by default)

UNICOLOR Uses the main color for all text

```
\usetheme[
    maincolor=045549,
    accentcolor=E63946,
    backgroundcolor=FAFAFA,
    codebackgroundcolor=F5F5F5
]{Celestia}
```

④ LAYOUT

MARGIN Content margin (2em by default)

FRAMETITLE Title style (elegant, plain, centered)

DECORATIVE Enables decorative elements

NODECORATIVE Disables decorative elements

CENTEREDTITLE Centers the title on the title page

TITLERIGHT Right-aligns the title

```
\usetheme[
    margin=1.5em,
    frametitle=centered,
    decorative,
    centeredtitle
]{Celestia}
```

⑤ HEADERS

HEADSTYLE Font family for titles: rmfamily (serif) or sffamily (sans-serif)

HEADSHAPE Character style: sc (small caps), it (italic), normal

HEADWEIGHT Title weight: bfseries (bold) or mdseries (normal)

```
\usetheme[
    headstyle=sffamily,
    headshape=sc,
    headweight=bfseries
]{Celestia}
```

⑥ CODE

CODEBOX Enables code framing with tcolorbox (true by default)

NOCODEBOX Completely disables tcolorbox code framing

NOCODEFRAME Keeps tcolorbox but without visible border

```
\usetheme[
    nocodebox,
    nocodeframe
]{Celestia}
```

⑦ FOOTER

NOFOOTER Completely removes the footer, except for the slide number

QUARTERCIRCLEFOOTER Displays only the number in a quarter circle at the bottom right

FULLBARFOOTER Creates a complete bar with author/title/date and number in a circle

```
\usetheme[
    quartercirclefooter
]{Celestia}
```

⑧ TABLE OF CONTENTS

COMPACTTOC Reduces vertical spacing between table of contents entries

TWOCOLUMNTOC Automatically distributes sections across two balanced columns

```
\usetheme[
    compacttoc,
    twocolumntoc
]{Celestia}
```

⑨ BLOCKS

BLOCK Standard block for normal content

EXAMPLEBLOCK Block for examples

ALERTBLOCK Block for alerts

⑩ BLOCK STYLES

SOBERBLOCK The title adopts the main block color on the document's general background, while the body keeps a slightly tinted background (10%)

SOFTBLOCK The title and body share the same slightly tinted background (10%), with the title in the corresponding main color

```
\usetheme[
    soberblock
]{Celestia}

% or

\usetheme[
    softblock
]{Celestia}
```

⑪ Standout Pages

La commande `standout` transforme une diapositive en page spéciale, idéale pour les moments clés de la présentation : citations marquantes, chiffres essentiels, messages à retenir.